

27 February 1964 STATINTL

STATINTL

U. S. Government
Washington 25, D.C.

*Req. 2620-64
62 2052*

STATINTL

STATINTL

With reference to our conversation in [REDACTED] on Friday, 21 February 1964, I am writing to confirm the substance of our discussion relating to the Multiple Image Correlator.

As stated by me regarding our proposal P-431, dated 29 September 1963, although the proposal was binding only for a thirty (30) day period, we were, in fact, prepared to honor the terms until well into December 1963. The nature of the proposed work is such, however, that only a limited number of [REDACTED] personnel are familiar with it to the extent of being able to provide adequate support away from our facility in [REDACTED]. By late December, [REDACTED] was involved in other contractual obligations which necessitated the re-assignment of these people. The nature of our contractual obligations is such, that, in fairness to ourselves and our other customers we cannot at present see our way clear to making the necessary people available for MIC Support. There is no intention on our part of refusing to propose their time and effort to support the correlator in Washington. We are not, however, able to re-propose the effort at this time, and with our present obligations concerning the personnel in question, cannot foretell when they will be available. To merely re-propose the effort, making use of personnel unfamiliar with the equipment, would not be in the best interests of either the Government or [REDACTED].

We are looking into the question of preparing the equipment for delivery to Washington D.C., and I will communicate with you on this matter in the very near future.

I trust this will clear up any misunderstanding which may have occurred.

Yours truly,

Requires new sign -

STATINTL

RLA/dbs

TRANSMITTAL SLIP		DATE <i>3/7</i>
TO:		
ROOM NO.	BUILDING	
REMARKS: <i>Please furnish Bell with reg. for his files thans</i>		
FROM: <i>Helen</i>		
ROOM NO.	BUILDING	EXTENSION

FORM NO. 241
FEB 55

REPLACES FORM 36-8
WHICH MAY BE USED.

☆ GPO : 1957—O-439445 (47)